

STATE OF RHODE ISLAND
RHODE ISLAND DEPARTMENT OF HEALTH

IN THE MATTER OF: Rusty's Bar and Grill Violations of Executive Orders and RI Department of Health Regulations

## IMMEDIATE COMPLIANCE ORDER AND NOTICE OF VIOLATION AND COMPLIANCE ORDER

Now comes the Director of the Rhode Island Department of Health ("RIDOH"), as informed by the Chair ("Chair") of the Rhode Island COVID-19 Enforcement Task Force ("Task Force"), and pursuant to R.I. Gen. Laws §§ 23-1-20 and 23-1-21, Executive Orders 20-32 and 20-67 ("Executive Orders"), and the RIDOH rules and regulations pertaining to Safe Activities By Covered Entities During the COVID-19 Emergency (216-RICR-50-15-7) ("Safe Regulations"), determines that there are reasonable grounds to believe that Rusty's Bar and Grill ("Respondent") is in violation of applicable Executive Orders and/or the Safe Regulations, and that, with respect to bar requirements, Respondent is in violation of applicable Executive Orders and/or the Safe Regulations, which violation requires immediate action to protect the health, welfare, and safety of the public.

#### **NEED FOR IMMEDIATE ACTION**

On March 9, 2020, Governor Gina M. Raimondo declared a state of emergency for the State of Rhode Island due to the dangers to health and life posed by COVID-19. The Safe Regulations were promulgated as an emergency rule, pursuant to R.I. Gen. Laws § 42-35-2.10, based on a finding that an imminent peril to the public health, safety, or welfare required immediate promulgation of the rule,

specifically that "[i]n order to prevent further spread of COVID-19 as individuals begin to leave their homes more frequently and establishments begin to reopen, protective measures must be followed and implemented for individuals and establishments to resume operations so that the public's health and welfare is protected."

#### **GROUNDS FOR DETERMINATION OF VIOLATIONS**

- Respondent is a dining establishment which maintains a bar area located at 44 Wave Avenue in Middletown.
- II. Respondent is a covered entity, as defined in the Safe Regulations. As such, Respondent is required to comply with applicable Executive Orders and the Safe Regulations.
- III. On or about September 8, 2020, a Task Force inspector met with owner Robin Dings and conducted a Healthy Environment inspection of the Respondent. The inspector performed a checklist inspection based on the Safe Regulations and determined that Respondent scored a 9/11 for overall requirements a 5/5 for dining requirements and a 2/6 for bar requirements.
- IV. Of significant concern was that fact that the inspector observed a non-compliant barrier in place in the bar area. Thus, the Respondent failed to ensure that no staff were permitted to work in any areas behind the bar unless a physical, non-porous barrier of appropriate height is installed between the bar work areas and customers; that even with physical barriers between the bar work areas and customers, staff may only serve seated customers drinks and food through a gap or opening in the barrier that is no more than eight (8) inches in size; and/or that working bar areas, such as drink making stations or glassware storage, must be located at least six feet from the gaps.
- V. In response, the inspector provided information and resources to the Respondent to help it achieve full compliance. This included a recommendation to the Respondent on how to access

www.ReopeningRI.com and the relevant websites for the Executive Orders, rules, regulations, and guidance.

VI. Based on the foregoing, and in the absence of any other information to rebut the allegations, the Director of RIDOH has determined that Respondent is in present violation of multiple provisions of applicable Executive Orders and/or the Safe Regulations and that, with respect to the bar requirements, immediate action is necessary to protect the health, welfare, or safety of the public.

#### **VIOLATIONS**

#### **ALLEGED VIOLATIONS**

The following alleged violations stem from the September 8 inspection.

- I. Respondent is in violation of Section 7.4.1(A)(3) of the Safe Regulations, which requires all individuals in an establishment to wear cloth face coverings unless physical distancing or an exception applies and requires establishments to deny entry to any employee, who is not otherwise exempt from the requirement or who refuses to wear a cloth face covering when required. The inspector observed three (3) employees in the establishment, of which two were improperly wearing their cloth face covering. The first was the owner, who while speaking with the inspector, and while serving drinks to patrons, was observed to have a cloth face covering that kept slipping beneath her nose. The second employee was observed with his cloth face covering down around his chin.
- II. Respondent is in violation of Section 7.4.2(A)(6) of the Safe Regulations, which requires that:
  - a. when parties are seated at the bar, no staff are permitted to work in any areas behind the bar and all work areas behind the bar unless a physical, non-porous barrier of appropriate height and made of a material which complies with the interior finish requirements of the State Fire Safety Code, is installed between the bar work areas and customers; and

- b. even with physical barriers between bar work areas and customers, staff may only serve seated customers drinks and food through a gap or opening in the barrier that is no more than eight (8) inches in size; and,
- c. working bar areas (e.g. drink making stations or glassware storage) must be located at least six (6) feet from these gaps. Drinks and/or food may not be passed to customers under, over, or around such barrier by staff behind the bar.

The inspector observed that although the Respondent had made attempts to install a physical barrier, the barrier only covered a small portion of the bar space and even in those areas, was not of an appropriate height. (See "Exhibit A")

#### **ORDER**

### **IMMEDIATE COMPLIANCE**

It is hereby **ORDERED**, that Respondent is to immediately close its bar/bar area until such time as violations are remedied to the satisfaction of the Director of RIDOH by fulfilling the conditions as set forth below:

- I. Respondent shall ensure that:
  - a. when parties are seated at the bar, no staff are permitted to work in any areas behind the bar and all work areas behind the bar unless a physical, non-porous barrier (i.e., plexiglass) of appropriate height and made of a material which complies with the interior finish requirements of the State Fire Safety Code is installed between the bar work areas and customers; and
  - b. even with physical barriers between bar work areas and customers, staff may only serve seated customers drinks and food through a gap or opening in the barrier that is no more than eight (8) inches in size; and

c. working bar areas (e.g. drink making stations or glassware storage) are located at least six (6)

feet from these gaps and that drinks and/or food is not passed to customers under, over, or

around such barrier by staff behind the bar.

**NOTICE OF COMPLIANCE** 

It is further **ORDERED**, that on or before the tenth (10<sup>th</sup>) day from service of this Notice of Violation

and Compliance Order, Respondent shall remedy the above cited violations and come into full compliance

with applicable Executive Orders and Regulations, by fulfilling the conditions as set forth below:

I. Respondent shall require all employees in its establishment to wear cloth face coverings unless

physical distancing can be continuously maintained, or an exception applies. In accordance with

Section 7.4.1(3)(a) of the Safe Regulations, Respondent shall deny access to its establishment to

any employee who refuses to wear a cloth face covering when required by the Safe Regulations

unless an exception applies.

With respect to the Notice of Compliance, a written request for a hearing may be filed within

ten (10) days of this notice.

Entered this 9th day of September 2020.

Nicole Alexander-Scott, MD, MPH

Director

Rhode Island Department of Health

Cannon Building, Rm. 401

Three Capitol Hill

Providence, RI 02908

# **EXHIBIT A**



